ELSEVIER

Journal of Organometallic Chemistry 659 (2002) 205

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Author Index of Volume 659

Adams, H., 142
Afonin, A.V., 172
Ahmed, M.O., 196
Albano, V.G., 15
Albanov, A.I., 172
Alberdi, G., 67
Aldinger, F., 29
Andy Hor, T.S., 92
Ares, R., 67

Beckmann, J., 73
Belyakov, S., 165
Berger, F., 29
Boháč, A., 43
Bonnet, M.C., 186
Bordoni, S., 15
Brandl, M., 22
Breuzard, J.A.J., 186
Brunner, H., 22
Busetto, L., 15

Cattey, H., 22
Cea-Olivares, R., 95
Chiang, M.Y., 125
Choi, J.-C., 133
Choi, K.-H., 107
Coquerel, Y., 176
Cretiu, G., 95

Dakternieks, D., 73
Demina, M.M., 172
Deprés, J.-P., 176
De Vos, D., 159
Dong, T.-Y., 125

El-Qisairi, A.K., 50
Escudié, J., 95

Fernández, J.J., 67

Garcia, M.M., 56
Gelbrich, T., 1
Gómez, M., 186
Gorelsky, S.I., 202
Greene, A.E., 176
Guio, L.V.Y., 142
Gusarova, N.K., 172

Hämäläinen, M., 64
Happer, A., 10
Helm, M.L., 84
Henderson, W., 92
Hernandez, S., 95
Hernández Ortega, S., 56
Hitchcock, P.B., 84
Horváth, B., 43
Hörz, M., 29
Huang, B.-R., 125
Huang, M., 121
Hursthouse, M.B., 1

Ignatovich, L., 165
Ivanova, N.I., 172

Jacobs, P., 159
Jansat, S., 186

Katoh, K., 102
Kawano, Y., 102
Klimova, T., 56
Klimova, E.I., 56
Kodama, G., 102
Korpi, H., 64
Kuan, F.S., 73

Lee, S.-C., 133
Lee, G.-H., 125
Lemaire, M., 186
Leskelä, M., 64
Lever, A.B.P., 202
Lu, G.-L., 107
Lukevics, E., 165

Mariño, M., 67
Mathur, P., 196
Medvedeva, A.S., 172
Melis, K., 159
Mitchenko, O., 165
Moore, G., 203
Morris, M.J., 142
Mugnier, Y., 22
Muller, G., 186
Müller, K., 29
Müller, A., 29

N.G., J., 10
Nixon, J.F., 84
Novopashin, P.S., 172
Nyulászi, L., 84

Ogino, H., 102

Palazzi, A., 15
Peng, S.-M., 125
Pereira, M., 67
Philouze, C., 176
Po-Kwan Lau, J., 151
Polamo, M., 64
Pool, B., 10
Puranik, V.G., 196

Qaseer, H.A., 50

Ramirez, L.R., 56
Rao, M.L.N., 117
Reutskaya, A.M., 172
Rosenblum, M., 43

Sabatino, P., 15
Sakakura, T., 133
Sališová, M., 43
Shimada, S., 117
Shimoi, M., 102
Shul'ga, T., 165
Silaghi-Dumitrescu, I., 95
Silaghi-Dumitrescu, L., 95
Smith, P.D., 1
Solčániová, E., 43
Srinivasu, C., 196
Stivalet, J.M.M., 56
Su, M.-D., 121
Szieberth, D., 84

Tanaka, M., 117
Tiekink, E.R.T., 73
Torres, M.L., 67
Toscano, A., 95
Trofimov, B.A., 172

Umbarkar, S.B., 196

Verpoort, F., 159
Vila, J.M., 67
Vittal, J.J., 92

Wachter, J., 22
Weinmann, M., 29
White, J., 10
Wildgoose, F.A., 142
Wong, W.-T., 151
Wong, W.-Y., 107

Yamazaki, O., 117
Yasuda, H., 133
Yeo, J.S.L., 92

Zabel, M., 22
Zanotti, V., 15

Elsevier Science B.V.
PII: S0022-328X(02)01842-9

ELSEVIER

Journal of Organometallic Chemistry 659 (2002) 207–210

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Subject Index of Volume 659

ab initio
A theoretical study of linear germacyanogen isomers, 121
Alkane complexes
Fluxional behavior of chromium and tungsten complexes of monodentate bis(trimethylphosphine)diborane(4), $[M(CO)_5(\eta^1\text{-}B_2H_4\cdot 2PMe_3)]$ (M = Cr, W): A model case for alkane–metal complexes, 102
Alkyne
Rational synthesis of tricobalt-molybdenum and -tungsten butterfly clusters with alkyne ligands, 142
Aminoindenyl
Bis(2-*N*,*N*′-methylpiperazinoindenyl)zirconium dichloride. Crystal structure of bis(2-*N*,*N*′-methylpiperazinoindenyl)$ZrCl_2$, 64
AM1 semiempirical calculations
Difluorenylsilane derivatives, a class of compounds exhibiting strong intra- and intermolecular C–H···π interactions. Crystal and molecular structures of bis(9-methylfluoren-9-yl)dimethylsilane and (9-methylfluoren-9-yl)(fluoren-9-yl) dimethylsilane, 95
Arene
Cationic ruthenium(II) complexes containing a chelating $\eta^1{:}\eta^6$-phosphinoarene ligand: $[RuCl(L)(PPh_2(CH_2)_3\text{-}\eta^6\text{-}C_6H_5)][PF_6]$ (L = $P(OPh)_3$, $P(OMe)_3$, PPh_3, PMe_3, NCMe, NC_5H_5), 1
Aryl halides
Cross-coupling reaction of organobismuth dialkoxides with aryl bromides and iodides catalyzed by $Pd(PPh_3)_4$, 117

Benzyltribromogermane
Synthesis, molecular structure and biological activity of bromobenzylgermatranes, 165
Biferrocenium
Effects of counterions on intramolecular electron transfer in 1′,1‴-dinaphthylmethylbiferrocenium cation: structural, Mössbauer and EPR characteristics, 125
Bis(indenyl)
Bis(2-*N*,*N*′-methylpiperazinoindenyl)zirconium dichloride. Crystal structure of bis(2-*N*,*N*′-methylpiperazinoindenyl)$ZrCl_2$, 64
Borane complexes
Fluxional behavior of chromium and tungsten complexes of monodentate bis(trimethylphosphine)diborane(4), $[M(CO)_5(\eta^1\text{-}B_2H_4\cdot 2PMe_3)]$ (M = Cr, W): A model case for alkane–metal complexes, 102
Bridging
Dithiocarbamate derivatives of μ-thiocarbyne complexes: synthesis and X-ray molecular structure of $[Fe_2(\mu\text{-}CS)(\mu\text{-}CSMe)(\mu\text{-}S_2CNMe_2)Cp_2]$, 15
Bromobenzyltribromogermane
Synthesis, molecular structure and biological activity of bromobenzylgermatranes, 165

Carbene ligands
Acid controlled alkyne dimerisation initiated by a Ru–carbene precursor, 159
Carbon dioxide
Structure of dialkyltin diaryloxides and their reactivity toward carbon dioxide and isocyanate, 133
Carbonyl ligands
Synthesis, reactivity and structures of ruthenium carbonyl clusters with telluride and hydride ligands, 22
Catalysis
Oxidation of ketone by palladium(II). α-Hydroxyketone synthesis catalyzed by a bimetallic palladium(II) complex, 50
Chalcogen
Reactivity studies of monoacetylide species towards chalcogen-bridged mixed-metal clusters: Synthesis and characterisation of $[(\eta^5\text{-}C_5H_5)_2Fe_2RuM_2(CO)_6(\mu_3\text{-}E)_2\{\mu_4\text{-}CC(Ph)C(Ph)C\}]$ (M = Mo, W; E = S, Se) and $[(\eta^5\text{-}C_5H_5)_2Fe_2Ru_2M_2(CO)_8(\mu_3\text{-}E)_2\{\mu\text{-}CCPh\}_2]$ (M = W, E = S, Se), 196
Chelating ligand
Cationic ruthenium(II) complexes containing a chelating $\eta^1{:}\eta^6$-phosphinoarene ligand: $[RuCl(L)(PPh_2(CH_2)_3\text{-}\eta^6\text{-}C_6H_5)][PF_6]$ (L = $P(OPh)_3$, $P(OMe)_3$, PPh_3, PMe_3, NCMe, NC_5H_5), 1
Chiral bis(oxazolines)
Catalytic reduction of acetophenone with transition metal systems containing chiral bis(oxazolines), 186
Chromium
Fluxional behavior of chromium and tungsten complexes of monodentate bis(trimethylphosphine)diborane(4), $[M(CO)_5(\eta^1\text{-}B_2H_4\cdot 2PMe_3)]$ (M = Cr, W): A model case for alkane–metal complexes, 102
Cluster
Rational synthesis of tricobalt-molybdenum and -tungsten butterfly clusters with alkyne ligands, 142
Reactivity studies of monoacetylide species towards chalcogen-bridged mixed-metal clusters: Synthesis and characterisation of $[(\eta^5\text{-}C_5H_5)_2Fe_2RuM_2(CO)_6(\mu_3\text{-}E)_2\{\mu_4\text{-}CC(Ph)C(Ph)C\}]$ (M = Mo, W; E = S, Se) and $[(\eta^5\text{-}C_5H_5)_2Fe_2Ru_2M_2(CO)_8(\mu_3\text{-}E)_2\{\mu\text{-}CCPh\}_2]$ (M = W, E = S, Se), 196
Cluster chemistry
Synthesis, reactivity and structures of ruthenium carbonyl clusters with telluride and hydride ligands, 22
Competitive reactions
Regioselective addition of secondary phosphine oxides to 3-(trialkylsilyl)- and 3-(trialkylgermyl)-2-propynals, 172
Conformational analysis
Difluorenylsilane derivatives, a class of compounds exhibiting strong intra- and intermolecular C–H···π interactions. Crystal and molecular structures of bis(9-methylfluoren-9-yl)dimethylsilane and (9-methylfluoren-9-yl)(fluoren-9-yl) dimethylsilane, 95
Copper
Synthesis, characterization and structural studies of new heterometallic alkynyl complexes of platinum and Group 11 metals with chelating bis(diphenylphosphino)ferrocene ligand, 107
Cross-coupling reaction
Cross-coupling reaction of organobismuth dialkoxides with aryl bromides and iodides catalyzed by $Pd(PPh_3)_4$, 117
(crotyl)Fp
The synthesis of a hydroazulen-2-one skeleton-determination of the diastereoselectivity of [3+2] cycloaddition of tricarbonyl[(4,5,6,7-η)-2-methyltropone]iron with *E*/*Z*-η^1-(crotyl)Fp, 43

Elsevier Science B.V.
PII: S0022-328X(02)01886-7

Crystal structure
Reactivity of osmium–rhodium mixed-metal cluster $[Os_3Rh(\mu\text{-}H)_3(CO)_{12}]$ towards vinyl containing ligands, 151
Crystal structures
Bis(2-*N*,*N*′-methylpiperazinoindenyl)zirconium dichloride. Crystal structure of bis(2-*N*,*N*′-methylpiperazinoindenyl)$ZrCl_2$, 64
Reactivity studies of monoacetylide species towards chalcogen-bridged mixed-metal clusters: Synthesis and characterisation of $[\{\eta^5\text{-}C_5H_4\}_2Fe_2RuM_2(CO)_6(\mu_3\text{-}E)_2\{\mu_4\text{-}CC(Ph)C(Ph)C\}]$ (M = Mo, W; E = S, Se) and $[(\eta^5\text{-}C_5H_4)_2Fe_2Ru_2M_2(CO)_8(\mu_3\text{-}E)_2\{\mu\text{-}CCPh\}_2]$ (M = W, E = S, Se), 196
Synthesis, characterization and structural studies of new heterometallic alkynyl complexes of platinum and Group 11 metals with chelating bis(diphenylphosphino)ferrocene ligand, 107
Synthesis, molecular structure and biological activity of bromobenzylgermatranes, 165
Crystal structures of
Difluorenylsilane derivatives, a class of compounds exhibiting strong intra- and intermolecular C–H···π interactions. Crystal and molecular structures of bis(9-methylfluoren-9-yl)dimethylsilane and (9-methylfluoren-9-yl)(fluoren-9-yl) dimethylsilane, 95
Cyanamide
Dehydrocoupling of tris(hydridosilylethyl)boranes and cyanamide: a novel access to boron-containing polysilylcarbodiimides, 29
Cycloaddition
The synthesis of a hydroazulen-2-one skeleton-determination of the diastereoselectivity of [3+2] cycloaddition of tricarbonyl[(4,5,6,7-η)-2-methyltropone]iron with *E*/*Z*-η¹-(crotyl)Fp, 43
Cyclometallation
Cyclometallated compounds of Pd(II): C=N to C=O conversion through acid hydrolysis. Crystal and molecular structures of $[Pd\{4\text{-}(CHO)C_6H_3C(H)=NCy\}(Cl)(PPh_3)_2]$ and $[Pd\{2,4\text{-}(CHO)_2C_6H_3\}(Cl)(PPh_3)_2]$, 67
Cyclopentaanulation
The synthesis of a hydroazulen-2-one skeleton-determination of the diastereoselectivity of [3+2] cycloaddition of tricarbonyl[(4,5,6,7-η)-2-methyltropone]iron with *E*/*Z*-η¹-(crotyl)Fp, 43

Dehydrohalogenation
3,3-Diferrocenylcyclopropene, 56
Density functional theory
A theoretical study of linear germacyanogen isomers, 121
Dialkyltin diaryloxides
Structure of dialkyltin diaryloxides and their reactivity toward carbon dioxide and isocyanate, 133
Difluorenylsilanes
Difluorenylsilane derivatives, a class of compounds exhibiting strong intra- and intermolecular C–H···π interactions. Crystal and molecular structures of bis(9-methylfluoren-9-yl)dimethylsilane and (9-methylfluoren-9-yl)(fluoren-9-yl) dimethylsilane, 95
Dimerisation
Acid controlled alkyne dimerisation initiated by a Ru–carbene precursor, 159
Dinuclear
Dithiocarbamate derivatives of μ-thiocarbyne complexes: synthesis and X-ray molecular structure of $[Fe_2(\mu\text{-}CS)(\mu\text{-}CSMe)(\mu\text{-}S_2CNMe_2)Cp_2]$, 15
1-(Diorganylphosphoryl)-3-[trialkylsilyl(or germyl)]-2-propyn-1-ols
Regioselective addition of secondary phosphine oxides to 3-(trialkylsilyl)- and 3-(trialkylgermyl)-2-propynals, 172
Diphospholes
Synthetic, structural and theoretical studies on the new 2,3-dihydro-1,2,4-thia-, selena- and tellura-diphospholes, P_2EC_2-$Bu^t_2(H)Me$, (E = S, Se, Te) and their $[M(CO)_5]$ complexes (M = Cr, Mo, W), 84
Dithiocarbamate
Dithiocarbamate derivatives of μ-thiocarbyne complexes: synthesis and X-ray molecular structure of $[Fe_2(\mu\text{-}CS)(\mu\text{-}CSMe)(\mu\text{-}S_2CNMe_2)Cp_2]$, 15
Dithiocarbene
Dithiocarbamate derivatives of μ-thiocarbyne complexes: synthesis and X-ray molecular structure of $[Fe_2(\mu\text{-}CS)(\mu\text{-}CSMe)(\mu\text{-}S_2CNMe_2)Cp_2]$, 15

Electron transfer
Effects of counterions on intramolecular electron transfer in 1′,1‴-dinaphthylmethylbiferrocenium cation: structural, Mössbauer and EPR characteristics, 125

Ferrocene
3,3-Diferrocenylcyclopropene, 56
Synthesis, characterization and structural studies of new heterometallic alkynyl complexes of platinum and Group 11 metals with chelating bis(diphenylphosphino)ferrocene ligand, 107
Ferrocenylallylic cation
3,3-Diferrocenylcyclopropene, 56
Ferrocenylcarbenoid
3,3-Diferrocenylcyclopropene, 56
Ferrocenylcyclopropane
3,3-Diferrocenylcyclopropene, 56
Ferrocenylcyclopropene
3,3-Diferrocenylcyclopropene, 56
Fluxional behavior
Fluxional behavior of chromium and tungsten complexes of monodentate bis(trimethylphosphine)diborane(4), $[M(CO)_5(\eta^1\text{-}B_2H_4\cdot 2PMe_3)]$ (M = Cr, W): A model case for alkane–metal complexes, 102

Germacyanogen isomers
A theoretical study of linear germacyanogen isomers, 121
Germatrane
Synthesis, molecular structure and biological activity of bromobenzylgermatranes, 165

Homogeneous catalysis
Acid controlled alkyne dimerisation initiated by a Ru–carbene precursor, 159
Homogenous catalysis
Catalytic reduction of acetophenone with transition metal systems containing chiral bis(oxazolines), 186
Hydroxyketone
Oxidation of ketone by palladium(II). α-Hydroxyketone synthesis catalyzed by a bimetallic palladium(II) complex, 50
Hyperconjugation
Carbon–silicon hyperconjugation: X-ray structural study of *N*-methyl-4-trimethylsilylmethylpyridinium triflate, 10

Inter- and intramolecular C–H···π interactions
Difluorenylsilane derivatives, a class of compounds exhibiting strong intra- and intermolecular C–H···π interactions. Crystal and molecular structures of bis(9-methylfluoren-9-yl)dimethylsilane and (9-methylfluoren-9-yl)(fluoren-9-yl) dimethylsilane, 95
Iron
Dithiocarbamate derivatives of μ-thiocarbyne complexes: synthesis and X-ray molecular structure of $[Fe_2(\mu\text{-}CS)(\mu\text{-}CSMe)(\mu\text{-}S_2CNMe_2)Cp_2]$, 15
Isocyanate
Structure of dialkyltin diaryloxides and their reactivity toward carbon dioxide and isocyanate, 133

Isomerization
Reactivity of osmium–rhodium mixed-metal cluster $[Os_3Rh(\mu\text{-}H)_3(CO)_{12}]$ towards vinyl containing ligands, 151

Ketohydroazulene
The synthesis of a hydroazulen-2-one skeleton-determination of the diastereoselectivity of [3+2] cycloaddition of tricarbonyl[(4,5,6,7-η)-2-methyltropone]iron with *E*/*Z*-η¹-(crotyl)Fp, 43

Linear
A theoretical study of linear germacyanogen isomers, 121

3-Membered ring opening
3,3-Diferrocenylcyclopropene, 56
Metallocene
Bis(2-*N*,*N*′-methylpiperazinoindenyl)zirconium dichloride. Crystal structure of bis(2-*N*,*N*′-methylpiperazinoindenyl)$ZrCl_2$, 64
Effects of counterions on intramolecular electron transfer in 1′,1‴-dinaphthylmethylbiferrocenium cation: structural, Mössbauer and EPR characteristics, 125
Methylation
Synthetic, structural and theoretical studies on the new 2,3-dihydro-1,2,4-thia-, selena- and tellura-diphospholes, $P_2EC_2Bu^t_2(H)Me$, (E = S, Se, Te) and their $[M(CO)_5]$ complexes (M = Cr, Mo, W), 84
2-Methyltroponeiron tricarbonyl
The synthesis of a hydroazulen-2-one skeleton-determination of the diastereoselectivity of [3+2] cycloaddition of tricarbonyl[(4,5,6,7-η)-2-methyltropone]iron with *E*/*Z*-η¹-(crotyl)Fp, 43
Mixed-metal
Reactivity studies of monoacetylide species towards chalcogen-bridged mixed-metal clusters: Synthesis and characterisation of $[(\eta^5\text{-}C_5H_5)_2Fe_2RuM_2(CO)_6(\mu_3\text{-}E)_2\{\mu_4\text{-}CC(Ph)C(Ph)C\}]$ (M = Mo, W; E = S, Se) and $[(\eta^5\text{-}C_5H_5)_2Fe_2Ru_2M_2(CO)_4(\mu_3\text{-}E)_2\{\mu\text{-}CCPh\}_2]$ (M = W, E = S, Se), 196
Mixed-valence 1′,1‴-dinaphthylmethylbiferrocenium
Effects of counterions on intramolecular electron transfer in 1′,1‴-dinaphthylmethylbiferrocenium cation: structural, Mössbauer and EPR characteristics, 125
Molecular structures of
Difluorenylsilane derivatives, a class of compounds exhibiting strong intra- and intermolecular C–H···π interactions. Crystal and molecular structures of bis(9-methylfluoren-9-yl)dimethylsilane and (9-methylfluoren-9-yl)(fluoren-9-yl) dimethylsilane, 95
Molybdenum
Rational synthesis of tricobalt-molybdenum and -tungsten butterfly clusters with alkyne ligands, 142
Monoacetylide
Reactivity studies of monoacetylide species towards chalcogen-bridged mixed-metal clusters: Synthesis and characterisation of $[(\eta^5\text{-}C_5H_5)_2Fe_2RuM_2(CO)_6(\mu_3\text{-}E)_2\{\mu_4\text{-}CC(Ph)C(Ph)C\}]$ (M = Mo, W; E = S, Se) and $[(\eta^5\text{-}C_5H_5)_2Fe_2Ru_2M_2(CO)_4(\mu_3\text{-}E)_2\{\mu\text{-}CCPh\}_2]$ (M = W, E = S, Se), 196

Neurotropic activity
Synthesis, molecular structure and biological activity of bromobenzylgermatranes, 165
NMR spectroscopy
Catalytic reduction of acetophenone with transition metal systems containing chiral bis(oxazolines), 186
Nucleophilic addition
Addition of organolithium compounds to tricarbonyl(tropone)iron complexes: experimental and structural studies, 176
Regioselective addition of secondary phosphine oxides to 3-(trialkylsilyl)- and 3-(trialkylgermyl)-2-propynals, 172

Organobismuth compounds
Cross-coupling reaction of organobismuth dialkoxides with aryl bromides and iodides catalyzed by $Pd(PPh_3)_4$, 117
Osmium
Reactivity of osmium–rhodium mixed-metal cluster $[Os_3Rh(\mu\text{-}H)_3(CO)_{12}]$ towards vinyl containing ligands, 151

Palladium
Cross-coupling reaction of organobismuth dialkoxides with aryl bromides and iodides catalyzed by $Pd(PPh_3)_4$, 117
Palladium(II)
Cyclometallated compounds of Pd(II): C=N to C=O conversion through acid hydrolysis. Crystal and molecular structures of $[Pd\{4\text{-}(CHO)C_6H_3C(H)=NCy\}(Cl)(PPh_3)_2]$ and $[Pd\{2,4\text{-}(CHO)_2C_6H_3\}(Cl)(PPh_3)_2]$, 67
Oxidation of ketone by palladium(II). α-Hydroxyketone synthesis catalyzed by a bimetallic palladium(II) complex, 50
Pentacarbonyl complexes
Synthetic, structural and theoretical studies on the new 2,3-dihydro-1,2,4-thia-, selena- and tellura-diphospholes, $P_2EC_2Bu^t_2(H)Me$, (E = S, Se, Te) and their $[M(CO)_5]$ complexes (M = Cr, Mo, W), 84
Phosphine
Cationic ruthenium(II) complexes containing a chelating $\eta^1{:}\eta^6$-phosphinoarene ligand; $[RuCl(L)(PPh_2(CH_2)_3\text{-}\eta^6\text{-}C_6H_5)][PF_6]$ (L = $P(OPh)_3$, $P(OMe)_3$, PPh_3, PMe_3, NCMe, NC_5H_5), 1
Platinum
Synthesis, characterization and structural studies of new hetero-metallic alkynyl complexes of platinum and Group 11 metals with chelating bis(diphenylphosphino)ferrocene ligand, 107
PM3(tm) calculations
Catalytic reduction of acetophenone with transition metal systems containing chiral bis(oxazolines), 186
Polysilylcarbodiimides
Dehydrocoupling of tris(hydridosilylethyl)boranes and cyanamide: a novel access to boron-containing polysilylcarbodiimides, 29
Preceramics
Dehydrocoupling of tris(hydridosilylethyl)boranes and cyanamide: a novel access to boron-containing polysilylcarbodiimides, 29

Regioselectivity
The synthesis of a hydroazulen-2-one skeleton-determination of the diastereoselectivity of [3+2] cycloaddition of tricarbonyl[(4,5,6,7-η)-2-methyltropone]iron with *E*/*Z*-η¹-(crotyl)Fp, 43
Reiswigin
The synthesis of a hydroazulen-2-one skeleton-determination of the diastereoselectivity of [3+2] cycloaddition of tricarbonyl[(4,5,6,7-η)-2-methyltropone]iron with *E*/*Z*-η¹-(crotyl)Fp, 43
Rhodium
Reactivity of osmium–rhodium mixed-metal cluster $[Os_3Rh(\mu\text{-}H)_3(CO)_{12}]$ towards vinyl containing ligands, 151
Ruthenium
Acid controlled alkyne dimerisation initiated by a Ru–carbene precursor, 159
Cationic ruthenium(II) complexes containing a chelating $\eta^1{:}\eta^6$-phosphinoarene ligand; $[RuCl(L)(PPh_2(CH_2)_3\text{-}\eta^6\text{-}C_6H_5)][PF_6]$ (L = $P(OPh)_3$, $P(OMe)_3$, PPh_3, PMe_3, NCMe, NC_5H_5), 1
Synthesis, reactivity and structures of ruthenium carbonyl clusters with telluride and hydride ligands, 22

Secondary phosphine oxides
Regioselective addition of secondary phosphine oxides to 3-(trialkylsilyl)- and 3-(trialkylgermyl)-2-propynals, 172
Selena
Synthetic, structural and theoretical studies on the new 2,3-dihydro-1,2,4-thia-, selena- and tellura-diphospholes, P_2EC_2-Bu^t_2(H)Me, (E = S, Se, Te) and their $[M(CO)_5]$ complexes (M = Cr, Mo, W), 84
Silver
Synthesis, characterization and structural studies of new heterometallic alkynyl complexes of platinum and Group 11 metals with chelating bis(diphenylphosphino)ferrocene ligand, 107
^{119}Sn-NMR spectroscopy
A novel route for the preparation of dimeric tetraorganodistannoxanes, 73
Stereoselectivity
The synthesis of a hydroazulen-2-one skeleton-determination of the diastereoselectivity of [3+2] cycloaddition of tricarbonyl[(4,5,6,7-η)-2-methyltropone]iron with *E*/*Z*-η^1-(crotyl)Fp, 43
Structures
A theoretical study of linear germacyanogen isomers, 121
π-Systems
Carbon–silicon hyperconjugation: X-ray structural study of *N*-methyl-4-trimethylsilylmethylpyridinium triflate, 10

Tellura
Synthetic, structural and theoretical studies on the new 2,3-dihydro-1,2,4-thia-, selena- and tellura-diphospholes, P_2EC_2-Bu^t_2(H)Me, (E = S, Se, Te) and their $[M(CO)_5]$ complexes (M = Cr, Mo, W), 84
Tellurium
Synthesis, reactivity and structures of ruthenium carbonyl clusters with telluride and hydride ligands, 22
Tertiary phosphines
Cyclometallated compounds of Pd(II): C=N to C=O conversion through acid hydrolysis. Crystal and molecular structures of $[Pd\{4\text{-}(CHO)C_6H_3C(H)=NCy\}(Cl)(PPh_3)_2]$ and $[Pd\{2,4\text{-}(CHO)_2C_6H_3\}(Cl)(PPh_3)_2]$, 67
Tetraorganodistannoxane
A novel route for the preparation of dimeric tetraorganodistannoxanes, 73
Thia
Synthetic, structural and theoretical studies on the new 2,3-dihydro-1,2,4-thia-, selena- and tellura-diphospholes, P_2EC_2-Bu^t_2(H)Me, (E = S, Se, Te) and their $[M(CO)_5]$ complexes (M = Cr, Mo, W), 84
Thiocarbyne
Dithiocarbamate derivatives of μ-thiocarbyne complexes: synthesis and X-ray molecular structure of $[Fe_2(\mu\text{-}CS)(\mu\text{-}CSMe)(\mu\text{-}S_2CNMe_2)Cp_2]$, 15
Tin
A novel route for the preparation of dimeric tetraorganodistannoxanes, 73
Toxicity
Synthesis, molecular structure and biological activity of bromobenzylgermatranes, 165
Transition metals
Catalytic reduction of acetophenone with transition metal systems containing chiral bis(oxazolines), 186
Tricarbonyl(tropone)iron complexes
Addition of organolithium compounds to tricarbonyl(tropone)iron complexes: experimental and structural studies, 176
3-(Triethylgermyl)-2-propynal
Regioselective addition of secondary phosphine oxides to 3-(trialkylsilyl)- and 3-(trialkylgermyl)-2-propynals, 172
3-(Trimethylsilyl)-2-propynal
Regioselective addition of secondary phosphine oxides to 3-(trialkylsilyl)- and 3-(trialkylgermyl)-2-propynals, 172
Tris(hydridosilylethyl)boranes
Dehydrocoupling of tris(hydridosilylethyl)boranes and cyanamide: a novel access to boron-containing polysilylcarbodiimides, 29
Tungsten
Fluxional behavior of chromium and tungsten complexes of monodentate bis(trimethylphosphine)diborane(4), $[M(CO)_4(\eta^1\text{-}B_2H_4\cdot 2PMe_3)]$ (M = Cr, W): A model case for alkane–metal complexes, 102
Rational synthesis of tricobalt-molybdenum and -tungsten butterfly clusters with alkyne ligands, 142

Vinyl
Reactivity of osmium–rhodium mixed-metal cluster $[Os_3Rh(\mu\text{-}H)_3(CO)_{12}]$ towards vinyl containing ligands, 151
Vinylidene ligands
Acid controlled alkyne dimerisation initiated by a Ru–carbene precursor, 159

X-ray
Carbon–silicon hyperconjugation: X-ray structural study of *N*-methyl-4-trimethylsilylmethylpyridinium triflate, 10
X-ray crystallography
A novel route for the preparation of dimeric tetraorganodistannoxanes, 73

Zirconium
Bis(2-*N*,*N*′-methylpiperazinoindenyl)zirconium dichloride. Crystal structure of bis(2-*N*,*N*′-methylpiperazinoindenyl)$ZrCl_2$, 64